

FABLON<sup>®</sup>

Shining through shades

SUNBLOCK<sup>®</sup>  
OUTDOOR • ALL WEATHER BLINDS

SkyTrack<sup>™</sup>  
GLASSROOF BLINDS



## Shining through Shades by **Fablon Systems Pvt. Ltd.**



an ISO 9001: 2015 OMS  
certified company



## About Us

FABLON® systems is all set to set a new benchmark in the Window Shading industry. It is the outcome of years of study and research on the needs, purpose, utility and feel-good factor that one seeks, while choosing to provide a screen to protect the interiors from the harsh sunlight. The earnest endeavor is to provide the best of quality in products design, look and feel as well as its effective utility.

FABLON® Systems have come up with the best industry quality material to ensure the elegance and presence of Nature go hand in hand. FSPL is associated with the best-in-class global technical fabric manufacturers. It goes without saying that the material we use is eco-friendly, adhering to green concept.

[www.fablonblinds.com](http://www.fablonblinds.com)



**FABLON**<sup>®</sup>  
B L I N D S

**SUNBLOCK**<sup>®</sup>  
OUTDOOR • ALL WEATHER BLINDS

**SkyTrack**<sup>™</sup>  
GLASSROOF BLINDS

### COMMITMENT TO QUALITY

Fablon® Systems Pvt Ltd has partnered with the global fabric & component manufacturers with stellar Industry Technical Standards to ensure that the blinds are of best quality, suitable for interior and exterior Indian weather conditions.

### ENVIRONMENTAL FRIENDLY

Shading systems from FABLON® are highly effective in protecting your indoor & outdoor spaces from harsh sunlight. FABLON® blinds are specialized in controlling indoor temperature & air quality.

### TAILOR MADE SOLUTIONS

FABLON® Blinds are MADE TO FIT the customer needs for home or office. We believe in providing world class window shading solutions to augment the brand equity and enhance the elegance of the interiors they adorn.

FABLON® Roller Blinds are a blend of natural elements and scientific sophistication, which make them the first Choice of top Architects for their Commercial and Residential Projects.

The Sun-control fabric ensures as a perfect balance of Light with Comfort & Aesthetics. The classic range of fabric is breathable and suited for diverse Indian weather conditions and tastes. The subtle color range of the fabric allots elegance and style to the cozy interiors.


The FABLON® blinds are preferred for their light weight, endurance, and UV resistance. The smooth exterior of the fabric is dust and mold resistant. Its recyclable material generates minimal environmental impact.

Choose FABLON® blinds for elegance and classy interiors.




## FABLON® Roller Blinds

FABLON®  
B L I N D S



Standard  
Roller Blind



FASCIA  
Roller Blind




Wire Guide  
Roller Blind



Roman Blinds



Cassette  
Roller Blind



Dual (or) Day n  
Night Roller Blinds



Motorized  
Roller Blinds



**FABLON® Zebra Blinds**

**FABLON® Triple Shade Blinds**

**FABLON®**  
B L I N D S

FABLON® Zebra Blinds are overlapping strips that are designed to let the sunlight percolate through the slit openings in a way that it keeps the room lit, yet preventing the harsh light from dominating the ambience. The design of FABLON® Zebra blinds have been drawn from the leaves of the trees that provide adequate light and shade by diffusing the intensity of the sunlight.

This selective filtering of the sunlight helps you regulate the sunlight entering the room with beautifully and tastefully designed blinds that come in wonderfully textured fabrics of different hues and shades.



## SUNBLOCK® Balcony Wire Guide Blinds


## SUNBLOCK® Exterior Zip Track Blinds




SUNBLOCK® all Weather Exterior Blinds can effectively control light and the heat that permeates into your spaces. They reflect, absorb, and disperse the harsh sunlight thereby, controlling the temperature and harmful UV rays that make way with sunlight every single day. The translucent visibility from the inside provides the right amount of natural light and complete view of the exteriors.

SUNBLOCK® all Weather Blinds are elegant in design, robust in looks and convenient to use in


Summer and Rainy seasons. SUNBLOCK® exterior blinds collection comprises a classic range of fabrics especially suited for the Indian weather conditions, intensity of the harsh tropical sunlight and rains, to compliment the exterior design of the Indian homes.



Exterior Wire Guide Blinds



Exterior Zip Track Blinds



SunLight Control



Temperature Control



Rain Protection



Wind Control



Ventilation



Daylight Privacy Control




## SKYTRACK™ Zip Track Skylight Blinds

## SKYTRACK™ Velum Track Skylight Blinds




The SkyTrack™ skylight shades are designed to keep the harsh and harmful Indian sun from penetrating the interiors of home or commercial structures but at the same time, provide that lighted and shady nook for man, animal and plants to thrive.

SkyTrack™ comfortable shading at daytime and a jaw dropping star gazing in the night. SkyTrack™ skylight shades add in aesthetic and exclusive designs that compliment your glass roof architecture and structures.




Zip Track  
Skylight Blinds



Velum Skylight  
Blinds



SunLight Control



Temperature Control



Indoor Air Quality

**Fablon®  
Roller Blinds**

Aditya
Tatva
Nirvan
Amogh
Prakrit
Chandra
Yasya
Rainbow
Nexus
Eutopia
Fringe
Metro

**Fablon®  
Tripe Shade Blinds**

Mystique BO
Oscar

**Fablon®  
Zebra Blinds**

Shadow BO
Sunslim BO
Linen BO
Rose Gradation BO
Neo Vintage BO
Valentine Regalto
Pleat Benita
Urban Elegance
Twig
Carmen

**Sunblock®  
Exterior Blinds**

Prakrit
Amogh
Tatva

**SkyTrack™  
Skylight Blinds**


Nirvan
Tatva
Amogh
Yasya




Application - Interior

FABLON®  
Shining through shades

Aditya



SB-01



SB-02




SB-03



SB-04



SB-05



SB-06

# Aditya


<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diameter tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resin + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fit the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior	98 Inch	3%	25% Polyester & 78% PVC	97%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.60 mm	NA	NFPA 701 (USA)	Yes	485 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 1600 N/5cm   Weft 1500 N/5cm	Grade 8 ISO 105 B02:2014	Greenguard Gold	USA	2 Yrs on complete Blind



Application - Interior / Exterior

FABLON®  
Shining through shades

Tatva



Made in France

SB-11



SB-12



SB-13



SB-14



SB-15



SB-16



SB-17



SB-18



SB-19



SB-20



SB-21



SB-22

# Tatva

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diameter tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resin + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior / Exterior	105 Inch	4%	40% Polyester & 60% PVC	Upto 96%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.45mm	NA	M2 (NFP 92-507)	NA	400 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 220 daN/5cm   Weft 220daN/5cm	Fade Resistant	Greenguard Gold	France	2 Yrs on complete Blind



Thermal protection Blocks heat; micro-aerations encourage air movement



Colour resistance to UV



Easy Cleaning



Application - Interior

FABLON®  
Shining through shades

Nirvan



Made in France

SB-21A



SB-22A



SB-23A



SB-24A



SB-25A




SB-26A

# Nirvan

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior	105 Inch	3%	20% Polyester & 80% PVC	Upto 97%
<b>Thickness</b>	<b>Thermal Resistance</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.32mm	Aluminium Backing	M1 (UNE 23.727-90)	YES	290 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 160 daN/5cm   Weft 170 daN/5cm	Fade Resistant	Greenguard Gold	France	2 Yrs on complete Blind



Thermal protection Blocks heat; micro-aerations encourage air movement



Colour resistance to UV




Antiviral and antibacterial treatment Eliminate more than 99.9% of bacteria and viruses, including Coronavirus 229E



Application - Interior


FABLON®  
Shining through shades

Chandra




Made in Netherlands

SB-02B



SB-01B



SB-03B



SB-04B



SB-05B



SB-06B



SB-07B



SB-08B



SB-09B



SB-10B



SB-11B



SB-12B



SB-13B



SB-14B



SB-15B



SB-16B

# Chandra

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior	78 Inch	0%	100% Polyester Woven Fabric	Upto 100%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
w0.40mm	Yes	NA	Yes	340 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
max 1% following DIN EN 13120	5-7 DIN EN150 105 B02	Greenguard Gold	Netherlands	2 Yrs on complete Blind




Application - Interior / Exterior

FABLON®  
Shining through shades



SB-31B



SB-32B




SB-33B



SB-36B



SB-37B



SB-38B

Yasya

Made in France

# Yasya

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior / Exterior	105 Inch	0%	25% Polyester Et 75% PVC	Upto 100%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.63mm	NA	M2 (NFP 92-507)	NA	750 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Tear Strenght</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 230 daN/5cm   Weft 220 daN/5cm	Fade Resistant	Warp 20 daN   Weft 20 daN	France	2 Yrs on complete Blind


<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior	67 Inch	0%		Upto 100%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.47mm	NA	M2 (NFPA 701)	NA	540 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health Et Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 160 daN/5cm   Weft 170 daN/5cm	Fade Resistant	Greenguard	France	2 Yrs on complete Blind



Application - Interior / Exterior

FABLON®  
Shining through shades

Amogh



Made in France


SB-53




SB-50



SB-51



SB-52



SB-54



SB-55



SB-56






# Amogh

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Interior / Exterior	118 Inch	6%	50% Polyester & 50% PVC	Upto 94%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.42mm	NA	M1 (NF 92-503)	Yes	300 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 220 daN/5cm   Weft 150 daN/5cm	Fade Resistant	Greenguard Gold	France	1 Yrs on complete Blind

## Performances




## Applications



Application - Exterior


FABLON®  
Shining through shades

Prakrit




Made in France

SB-61



SB-62



SB-63



SB-64



SB-65



SB-66






# Prakrit

<b>Blinds Make</b>	<b>FABLON® Roller Blinds</b>			
<b>Top Tube</b>	Extruded Aluminium of T6 grade strength. 38mm Diamatere tube of 1.1mm Thickness with 2 groove to hold the controller firmly.			
<b>Bottom Bar</b>	Extruded Aluminium of T6 grade strength. 30mm width bar of 0.9mm Thickness with groove to hold the fabric firmly. Powder coated as per the color requirement.			
<b>Control Unit</b>	Made of PA66 + Glass Fiber + High Impact poly Acetal Resign + Poly Caronate and high quality piano wire spring. Cluth ribs should snap fit top tube grooves and use tested for 10000 cycles.			
<b>Idler</b>	Three level spring back Idler. Great lock strength, smooth and durable.			
<b>Chain</b>	Plastic or Metal, Endless bead chain without any manual joints. Should fir the blind height.			
<b>Brackets</b>	Metal Powder coated universal wall bracket of 2.0mm Thick with life time coating guarantee.			
<b>Application</b>	<b>Width</b>	<b>Openess</b>	<b>Composition</b>	<b>UV Blockage</b>
Exterior	118 Inch	15%	50% Polyester & 50% PVC	Upto 85%
<b>Thickness</b>	<b>PVC / Halogen Free</b>	<b>Fire Resistance</b>	<b>Anti Microbial</b>	<b>GSM</b>
0.55mm	NA	M1 (NF 92-503)	NA	360 g/m2
<b>Tensile Strength</b>	<b>Colour Fastning</b>	<b>Health &amp; Safety</b>	<b>Fabric Source</b>	<b>Make Warranty</b>
Warp 260 daN/5cm   Weft 180daN/5cm	Fade Resistant	Greenguard Gold	France	1 Yrs on complete Blind

## Performances




## Applications



Application - Interior

FABLON<sup>®</sup>  
Shining through shades

Rainbow



SB-101



SB-102



SB-103



SB-104

Rainbow



Composition - 100% Polyester  
Weight (gsm) - 390 ± 5%


Width (cm) - 280  
Thickness (mm) - 0.85 ± 5%



Application - Interior

FABLON®  
Shining through shades


Nexus



SB-105




SB-106



SB-107



SB-108



SB-109



SB-110



Nexus



Composition - 100% Polyester | Width (cm) - 280  
Weight (gsm) - 425 ± 5% | Thickness (mm) - 0.65 ± 5%

Application - Interior

FABLON®  
Shining through shades

Eutopia



SB-111



SB-112



SB-113



SB-114



SB-115



Eutopia



Composition - 100% Polyester  
Weight (gsm) -  $340 \pm 5\%$

Width (cm) - 280  
Thickness (mm) -  $0.60 \pm 5\%$

Application - Interior

Fringe



SB-116



SB-117



SB-118



SB-119



SB-120

# Fringe



Composition - 100% Polyester

Weight (gsm) - 390 ± 5%

Width (cm) - 280

Thickness (mm) - 0.85 ± 5%

Application - Interior

FABLON®  
Shining through shades

Metro



SB-121



SB-122



SB-123



SB-124



SB-125

Metro



Composition - 100% Polyester | Width (cm) - 280  
Weight (gsm) -  $380 \pm 5\%$  | Thickness (mm) -  $0.85 \pm 5\%$




Mystique B0



SB-201




SB-202



SB-203



SB-204



SB-205



# Mystique Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 300 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”


Oscar



SB-211



SB-212



SB-213



SB-214




Oscar



Technical Data - **Compostion** : Polyester 100% | **Width** : 300 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Shadow B0



White SB-301



Ivory SB-302



Sand SB-303



Taupe SB-304



Brown SB-305



Gray SB-306

# Shadow Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Linen B0



SB-311



SB-312



SB-313



SB-314



SB-315



# Linen Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 300 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Sunslim B0



SB-325




SB-321



SB-322



SB-323



SB-324



## Sunslim Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Rose Gradation B0



SB-331



SB-332



SB-333



SB-334



SB-335


# Rose Gradation Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”


Neo Vintage B0



SB-341



SB-342



SB-343



SB-344




SB-345



SB-346



SB-347



Neo  
Vintage  
Blackout



Technical Data - **Compostion** : Polyester 100% | **Width** : 300 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Valentine Regalto



SB-401



SB-402



SB-403



SB-404



SB-405



SB-406



SB-407



SB-408

Valentine  
Regalto




Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Pleat Benita



SB-411



SB-412



SB-413



SB-414



SB-415




# Pleat Benita



Technical Data - **Composition** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

Urban Elegance



SB-421



SB-422



SB-423



SB-424



SB-425

# Urban Elegance



Technical Data - **Composition** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”

TWIG



SB-431



SB-432



SB-433



SB-434



SB-435

# Twig



Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”


Carmen



SB-441



SB-442



SB-443



SB-444



SB-445



Carmen



Technical Data - **Compostion** : Polyester 100% | **Width** : 280 cm | **Country of Origin** : Korea

“ This product has been exquisitely designed by attaching fabrics in layers and finishing off neatly, thereby providing you with an efficient light management system in 3 flexible operations to choose from. ”